

DEINAITE[®]
PRODUCT



**CATALOGUE
2023**

www.denaite.com



P80

Wi-Fi Push Pull Smart Lock

Characteristics

- Audio & Live Video Monitoring and Intercom
- 1080P HD Video Camera with Wide View
- 3D Face Recognition Camera
- Remote Control without Distance Limitation via the App
- Suitable with the Modern Fashion Trend
- Motion Detection and Alarm



Black



Grey



Fingerprint



PIN Code



IC Card



Mechanical Key



APP Unlock



3D Face Recognition

● Specifications

CE RoHS FC

Product Model	P80	Code Length	6-12 Digits
Color	Grey/Black	Emergency Key	C Level Cylinder
Main Material	Aluminum Alloy	Lock Body	6068 Machine
Dimension	405mm*75mm *60mm	Door Thickness	40mm-120mm
Product Weight	3.5kg	Fingerprint Quantity	100 sets
Power Type	5000mAH Li-Battery	Card Quantity	100 sets
Emergency Power	6V Micro USB	Door Fitting	Wooden/Security/ Steel Door
Working Temperature	-20°C-60°C	RH	20%-93%
False Recognition Rate	≤0.0004%	Working Voltage	6.5V-8.4V



P90

Wi-Fi Push Pull Smart Lock

Characteristics

- Audio & Live Video Monitoring and Intercom
- 1080P HD Video Camera with Wide View
- 3D Face Recognition Camera
- Remote Control without Distance Limitation via the App
- Suitable with the Modern Fashion Trend
- Motion Detection and Alarm
- High Precision Finger Verin Recognition



Black



Grey



Fingerprint



PIN Code



IC Card



Mechanical Key



APP Unlock



3D Face Recognition

● Specifications

CE RoHS FC

Product Model	P90	Code Length	6-12 Digits
Color	Grey/Black	Emergency Key	C Level Cylinder
Main Material	Aluminum Alloy	Lock Body	6068 Machine
Dimension	405mm*75mm *65mm	Door Thickness	40mm-120mm
Product Weight	4.5kg	Fingerprint Quantity	100 sets
Power Type	5000mAH Li-Battery	Card Quantity	100 sets
Emergency Power	6V Micro USB	Door Fitting	Wooden/Security/ Steel Door
Working Temperature	-20°C-60°C	RH	20%-93%
False Recognition Rate	≤0.0004%	Working Voltage	6.5V-8.4V



T88

Wi-Fi Push Pull Smart Lock

Characteristics

- Remote Control without Distance Limitation via the App
- Connect with the Wi-Fi
- Suitable with the Modern Fashion Trend



Black



Fingerprint PIN Code IC Card Mechanical Key APP Unlock

● Specification

CE RoHS FC

Product Model	T88	Code Length	6-12 Digits
Color	Black	Emergency Key	C Level Cylinder
Main Material	Aluminum Alloy	Lock Body	6068 Machine
Dimension	396mm*68mm *57mm	Door Thickness	40mm-120mm
Product Weight	2.8kg	Fingerprint Quantity	100 sets
Power Type	4200mAh Li-Battery	Card Quantity	100 sets
Emergency Power	6V Micro USB	Door Fitting	Wooden/Security/ Steel Door
Working Temperature	-20°C-60°C	RH	20%-93%
False Recognition Rate	≤0.0004%	Working Voltage	6.5V-8.4V

T18

Lever Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Sliding Cover Protect the Sensor From the Damage
- Elegant Design is Compatible with Villa, House, Apartment



Black



Copper



Fingerprint



PIN Code



IC Card



Mechanical Key

● Specifications

CE RoHS FC

Product Model	T18	Code Length	6-12 Digits
Color	Copper/Black	Emergency Key	B Level Cylinder
Main Material	Aluminum Alloy & Zinc Alloy	Lock Body	6068 Machine
Dimension	396mm*78mm*32mm	Door Thickness	40mm-120mm
Product Weight	3.2kg	Fingerprint Quantity	100 sets
Power Type	4 AA Alkaline Batteries	Card Quantity	100 sets
Emergency Power	6V Micro USB	Door Fitting	Wooden/Security/Steel Door
Working Temperature	-20°C-60°C	RH	20%-93%
		Working Voltage	4.5V-6.5V
		False Recognition Rate	≤0.0004%

T29

Lever Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Elegant Design is Compatible with Villa, House, Apartment
- Camera Version Optional



Black

Copper



Fingerprint



PIN Code



IC Card



Mechanical Key



APP Unlock

● Specifications

CE RoHS FC

Product Model	T29	Code Length	6-12 Digits
Color	Copper/Black	Emergency Key	B Level Cylinder
Main Material	Aluminum Alloy	Lock Body	6068 Machine
Dimension	375mm*75mm *25mm	Door Thickness	40mm-120mm
Power Type	4 AA Alkaline Batteries	Fingerprint Quantity	100 sets
Emergency Power	6V Micro USB	Card Quantity	100 sets
Working Temperature	-20°C-60°C	Door Fitting	Wooden/Security/ Steel Door
False Recognition Rate	≤0.0004%	RH	20%-93%
		Working Voltage	4.5V-6.5V

D01

Narrow Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Narrow Side Lock Body for Sliding Door
- Elegant Design is Compatible with Villa, House, Apartment
- 100% Water-proof Front Panel



Black

Silver



Fingerprint



PIN Code



IC Card



Mechanical Key



APP Unlock

● Specifications

CE RoHS FC

Product Model	D01	Code Length	6-12 Digits
Color	Silver/Black	Emergency Key	C Level Cylinder
Main Material	Aluminum Alloy	Lock Body	85 Machine
Dimension	350mm*37mm *52mm	Door Thickness	35mm-120mm
Product Weight	2.2kg	Fingerprint Quantity	100 sets
Power Type	4 AA Alkaline Batteries	Keyword Capacity	300 sets
Emergency Power	5V DC	Length Door Fitting	Wooden/Security Steel door
Working Temperature	-20°C-60°C	RH	20%-90%
		Working Voltage	4.5V-6V
		False Recognition Rate	≤0.1%

D03

Indoor Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Dust and Water Proof Rate: IP54
- Bluetooth Remote Controller(Optional)
- Secure Local Data Storage
- Suitable for Room and Office Door



Black



Copper



Fingerprint



PIN Code



IC Card



Mechanical Key



APP Unlock



Remote Controller
(Optional)

● Specifications

CE RoHS FC

Product Model	D03	Code Length	6-12 Digits
Color	Copper/Black	Emergency Power	USB Cable
Remote Control	Optional	Door Thickness	35mm-50mm
Main Material	Aluminum Alloy	Fingerprint Quantity	100 sets
Dimension	245mm*58mm *20mm	Keyword Quantity	100 sets
Product Weight	3.2kg	Working Temperature	-30°C-50°C
Power Type	4 AAA Alkaline Batteries	Door Fitting	Wooden/Security Steel Door
		Lock Body	5050 Machine



D05

Glass Door Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Dust and Water Proof Rate: IP55
- Build-in Bluetooth
- Secure Local Data Storage
- Suitable for Glass Doors



Black



Fingerprint



PIN Code



IC Card



Mechanical Key



APP Unlock

● Specifications

CE RoHS FC

Product Model	D05	Code Length	6-8 Digits
Color	Black	Door Thickness	8mm-14mm
Main Material	Zinc Alloy	Power Type	4 AA Alkaline Batteries
Dimension	Mainpanel 165mm*72.5mm	Working Temperature	-25°C-65°C
	Sidepanel 165mm*45.5mm	Emergency Power	USB Cable
USB Back Up Power:	YES	Door Fitting	Glass/Wooden/ Aluminum Frame Glass Door

8203

Indoor Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Dust and Water Proof Rate: IP54
- Secure Local Data Storage
- Suitable for Room and Office Door
- Build-in Bluetooth
- Lock Cover Optional



Black



Fingerprint



PIN Code



Mechanical Key



APP

APP Unlock

● Specifications

CE RoHS FC

Product Model	8203	Door Thickness	35mm-55mm
Color	Black	Lock Body:	Single Latch(60/70mm) or 6085 Machine
Main Material	Zinc Alloy	Door Fitting	Wooden / Metal door
Dimension	145mm*68mm	PowerSupply	4 AAA Alkaline Batteries
Working Temperature	-20~70 Degree		
Remote Control	Optional		

U2

Glass Door Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Dust and Water Proof Rate: IP55
- Build-in Bluetooth
- Secure Local Data Storage
- Suitable for Glass Doors
- Password Version Optional



Black



Grey



Fingerprint



Mechanical Key



Bluetooth
Unlock

● Specifications

CE RoHS FC

Product Model	U2	RH	20%-93%
Color	Black/Grey	Working Voltage	3.7V
Main Material	Aluminum Alloy	False Recognition Rate	≤0.1%
Product Weight	2.0kg	Emergency Power	5V Micro USB
Dimension	114mm*76mm *29mm	Fingerprint Quantity	20/100 sets
Power Type	Li-Battery	Working Temperature	-10°C-50°C
		Length Door Fitting	Double Glass Door

Z06

Deadbolt Smart Lock

Characteristics

- Dust and Water Proof Rate: IP54
- Easy and Simple Installation for Non-professionals
- Build-in Bluetooth
- Secure Local Data Storage
- Exquisite Design Fits the Fashion Trend



Black



Grey



PIN Code



Mechanical Key



APP

APP Unlock

● Specifications

CE RoHS FC

Product Model	Z06	Code Length	6-8 Digits
Color	Black/ Grey	Door Thickness	35mm-70mm
Main Material	Aluminum Alloy	Keyword Capacity	20 sets
Dimension	126mm*72mm *29mm	Low Battery Indicator	4.8V
Power Type	4 AA Alkaline Batteries	Supply Voltage	6V
Working Temperature	-20°C-60°C	Door Fitting	Wooden/Security Steel door
		Lock Body	Single Latch (60/70mm)

Z07

Deadbolt Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Dust and Water Proof Rate: IP54
- Easy and Simple Installation for Non-professionals
- Build-in Bluetooth
- Secure Local Data Storage
- Exquisite Design Fits the Fashion Trend



Black



Grey



Fingerprint



PIN Code



IC Card



Mechanical Key



APP Unlock

● Specifications

CE RoHS FC

Product Model	Z07	Code Length	6-8 Digits
Color	Black/Grey	Door Thickness	35mm-70mm
Main Material	Aluminum Alloy	Fingerprint Quantity	100 sets
Power Type	4 AA Alkaline Batteries	Keyword Capacity	100 sets
Working Temperature	-20°C-60°C	Low Battery Indicator	4.8V
Supply Voltage	6V	Door Fitting	Wooden/Security/ Steel Door
Lock Body	Single Latch (60/70mm)		

Z08

Deadbolt Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Build-in Bluetooth
- Secure Local Data Storage
- Exquisite Design Fits the Fashion Trend



Black

Grey



Fingerprint



PIN Code



IC Card



Mechanical Key



APP

APP Unlock

● Specifications

CE RoHS FC

Product Model	Z08	Code Length	6-8 Digits
Color	Black	Door Thickness	35mm-70mm
Main Material	Aluminum Alloy	Fingerprint Quantity	100 sets
Power Type	4 AA Alkaline Batteries	Keyword Capacity	100 sets
Working Temperature	-20°C-60°C	Low Battery Indicator	4.8V
Supply Voltage	6V	Door Fitting	Wooden/Security/ Steel Door
Lock Body	Single Latch (60/70mm)		

J06

Deadbolt Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Dust and Water Proof Rate: IP54
- Easy and Simple Installation for Non-professionals
- Build-in Bluetooth
- Secure Local Data Storage
- Exquisite Design Fits the Fashion Trend



Black



Fingerprint



PIN Code



IC Card



Mechanical Key



APP

APP Unlock

● Specifications

CE RoHS FC

Product Model	J06	Code Length	6-8 Digits
Color	Black	Door Thickness	35mm-70mm
Main Material	Zinc Alloy	Fingerprint Quantity	100 sets
Dimension	168mm*65mm *25mm	Keyword Capacity	100 sets
Product Weight	1kg	Emergency Power	USB Cable
Power Type	4 AA Alkaline Batteries	Salt Spray Test	48 Hours
Working Temperature	-30°C-55°C	Door Fitting	Wooden/Security/ Steel Door
Lock Body	Single Latch (60/70mm)		

J07

Deadbolt Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Dust and Water Proof Rate: IP54
- Easy and Simple Installation for Non-professionals
- Build-in Bluetooth
- Secure Local Data Storage
- Exquisite Design Fits the Fashion Trend



Black



Fingerprint



PIN Code



IC Card



Mechanical Key



APP

APP Unlock

● Specifications

CE RoHS FC

Product Model	J07	Code Length	6-8 Digits
Color	Black	Door Thickness	35mm-70mm
Main Material	Zinc Alloy	Fingerprint Quantity	100 sets
Dimension	145mm*65mm *25mm	Keyword Capacity	200 sets
Product Weight	1.2kg	Emergency Power	USB Cable
Power Type	4 AA Alkaline Batteries	Salt Spray Test	48 Hours
Working Temperature	-30°C-55°C	Door Fitting	Wooden/Security/ Steel Door
Lock Body	Single Latch (60/70mm)		

Y09

Deadbolt Smart Lock

Characteristics

- Dust and Water Proof Rate: IP54
- Build-in Bluetooth
- Secure Local Data Storage
- Suitable for Room and Office Door
- Meet the European Standards
- Simple and Easy Installation



Black



APP Unlock



PIN Unlock
(optional keyboard module)



Gateway
(Optional)

● Specifications

CE RoHS

Product Model	Y09	Remote Control	Bluetooth+APP
Color	Black	Door Thickness	35mm-70mm
Main Material	ABS	Cycle Test	100,000 Cycles
Dimension	113mm*62mm *67mm	Lock Cylinder	Special lock core/Bilateral insert with emergency function lock core
Product Weight	1.1kg	Salt Spray Test	48 Hours
Power Type	4 AA Alkaline Batteries	Low Battery Alarm	YES

X01

Indoor Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Connect with Wi-Fi
- Secure Local Data Storage
- Suitable for Room and Office Door
- Can Be Set Always Open Mode



Copper



Silver



Black



Fingerprint



PIN Code



IC Card



Mechanical Key



APP Unlock

● Specifications

CE RoHS FC

Product Model	X01	Door Thickness	
Color	Silver/Black/Copper	Fingerprint Quantity	100 sets
Main Material	Aluminum Alloy	Keyword Capacity	300 sets
Dimension	73mm*60mm	Emergency Power	USB Cable
Applicable Temperature	-10°C-60°C	Salt Spray Test	48 Hours
Remote Control	Optional	Power Type	4 AA Alkaline Batteries



X02

Indoor Smart Lock

Characteristics

- 3D Biometric Fingerprint Sensor, Quick Reaction
- Secure Local Data Storage
- Suitable for Room and Office Door
- Build-in Bluetooth
- Meet the European Standards
- Simple and Easy Installation



Black



Silver



Fingerprint



IC Card



Mechanical Key



APP

APP Unlock

● Specifications

CE RoHS

Product Model	X02	Door Thickness	35mm-45mm
Color	Silver/Black/Copper	Dust and Waterproof Level:	Ip5x
Main Material	Aluminum Alloy&Brass	Keyword Capacity	300 sets
Dimension	42mm*42mm	Emergency Power	Mrico USB
Power Type	1 CR123A Li-Battery	Remote Control	Optional



K01

Smart Key Box

Characteristics

- Easy Installation
- Take Care of Your Keys Instead of Change the Lock
- Build-in Bluetooth
- Strong and Durable Zinc Alloy Body
- Min. 10,000 Times Lock & Unlock
- Last for 12 Months

CE RoHS FC



Use your typec USB power bank to charge the lock to unlock



D02

Waterproof Mechanical Lock

Characteristics

- Dust and Water Proof Rate: IP68
- Single Bolt Lock Body, Meet American and European Standards
- High Security Level, Guarding Your Family
- Can Be Set Always Open Mode



Black



Stainless Steel



Copper



● Specifications

RoHS

Product Model	D01	Button Number	12 Digits
Color	Stainless Steel/Black/Copper	Door Thickness	30mm-90mm
Main Material	Zinc Alloy	Product Weight	1.0kg
Dimension	183mm*54mm *32mm	Door Fitting	Wooden/Security/ Steel Door
Lock Body	Single Latch (60/70mm)		

Denaite (ZheJiang) Intelligent Technology Co., Ltd

**Address: No.76,Xieyeyuanqu,Aojiang,Pingyang Economic
Development Area,Wenzhou City, Zhejiang Province,Mainland China**

E-mail:info@denaite.cn

Tel:+86-400-800-2112